


**GRANORTE®**  
delivering nature



2016



## Who we are

GRANORTE is a Portuguese family company, founded in 1972 to recycle the cork waste from the wine cork stoppers manufacturing industry. From the beginning we have dedicated our attention to product research and development, resulting on innovative production processes and technical excellence.

Our significant know-how in cork allowed us to develop into an expanding producer of technical solutions using cork. Today, GRANORTE is a leading sustainable flooring manufacturer, producer of thrilling environmentally responsible products. One tradition was kept unchanged however: the quiet revolutionary way of promote ongoing, consistent, breakthrough creativity. This innovation culture and teamwork encouraging have been the basis of our success.

### AWARDS:

Elected in 2005 the best Portuguese company in the area of wood, cork and furniture.  
"PME Líder", recognizing the company's work as an example of excellence, quality and leadership.  
2012 Best SME, Export and Internationalization Awards BES / Jornal de Negócios.  
iF Design Award 2015,  
Green Good Design 2015,  
German Design Award Nominee 2016.

### CERTIFIED:

EN ISO 9001.  
SYSTEPCODE.  
FSC® Chain-Of-Custody,  
PEFC™ Chain-Of-Custody.

### MEMBER:

Portuguese Cork Association,  
German Cork Association,  
Cork Industry Federation,  
Cork Technology Centre,  
US Green Building Council,  
British Standards Institution,  
Cotec Network of Innovative SME,  
Global Forest & Trade Network.





## How we do it

Our philosophy is to challenge what has become habitual, and to never be satisfied with anything less than the best. We seek perfection each and every day and ensure that our products meet all international quality requirements and technical specifications.

Our aim is to fascinate people, designing and creating stunning cork products that capture the imagination and inspire beautiful and eco-friendly interiors.

Using only the best raw materials and state-of-the-art technology, GRANORTE offers a diverse range of products for both residential and commercial environments, delivering eye-catching styles as well as superb quality.

### WEARTOP armour

high performance coating

High performance and low VOC finish with very high wear, impact, scratch and slip resistance.

### HCA2K

hybrid ceramic hotcoating

HotCoating® PUR and waterbased finish with very high wear, impact and chemical resistance with a natural look-and-feel.

### AQUA2K+

2K waterborne finish

Very low emissions 2-component waterborne finish, based on polyurethane resins with very high final hardness, great elasticity and excellent chemical resistance.

### HIDRA CORE

moisture resistant HDF

Low swelling and high moisture resistance High Density Fibreboard (HDF) CARB 2 and Lacey Act compliant.

### UNICLIC

UNICLIC® Click System

All floating floors from GRANORTE use the industry's leading UNICLIC® profile.

### JOINT SHIELD

edge sealing technology

Edge impregnation system for improved moisture resistance and superior joint protection.

### MICRO BEVEL

4 edges micro-beveled

Micro-bevelled edge aesthetic enhancement.

### AGGLOPURA

no added formaldehyde

Formaldehyde-free and phthalates-free cork agglomeration technology.

### HDDP

high definition digital print

Proprietary HDDP technology that delivers unrivalled print quality using high native resolution together with variable dot printing and exclusive printing techniques.

### AWS

authentic wood structure

Production technology that finely emboss wood structure making floors look and feel natural.



GREENGUARD GOLD Certification assures that strict chemical emissions limits are met, considers safety factors to account for sensitive individuals (such as children and the elderly), and ensures that a product is acceptable for use in environments such as schools and healthcare facilities.



Information representing indoor air emissions of volatile substances presenting a risk of inhalation toxicity, on a scale ranging from Class C (high emissions) to A+ (very low emissions), according to the French decree for the labelling of construction products.



German Cork Association Quality mark that ensures product quality, eco-friendliness, sustainability and the meeting of technical and chemical European requirements in terms of pollutant emissions.



German DIBt (German Institute for Construction Technology) U mark conformity.



European Certification for safety and energy-saving performance.



Exclusive Microban® antibacterial protection embedded in the agglomerated cork.



International symbol used to identify products made with genuine cork.



## Why cork

Cork is the outer bark of the cork oak tree, which grows mainly in the Mediterranean region of the world. This tree has a life span of about 200 years. Each cork tree must be 20 to 25 years old before it can provide its first harvest of cork. After extracting the cork a new layer starts generating and nine years have to pass until a new harvest can take place. The cork harvesting is made in a sustainable manner and does not harm the tree which is never cut down or removed.

With the increasing concern for the environment, cork oak remains the only tree whose bark can regenerate itself after harvest leaving the tree unharmed. Furthermore, the cork oak tree has the remarkable capacity to retain carbon and a harvested cork tree fixates almost five times more carbon. These exceptional characteristics make cork a naturally sustainable product and its use contributes to the preservation of a unique habitat in the world.

Cork is the perfect environmentally friendly material and the ideal option when looking for floor and wall coverings that offer a naturally sustainable alternative. It is also amazingly versatile, and designers can explore the material in a surprisingly creative fashion. By altering colour and the way the cork is 'laid up' it becomes possible to create a whole range of textures and visual effects, without upsetting performance and maintaining cork's natural properties.

With over 40 million natural "cushion cells" per cubic centimetre, cork is a natural sound and thermal insulator, comfortable underfoot, quiet, warm and pleasant to the touch. Cork coverings do not absorb dust and are resistant to bacteria and fungus. They do not cause allergies nor pose a risk to asthma sufferers and have very low volatile organic compounds (VOC) emissions.



## We care

GRANORTE recognizes that business leadership carries a responsibility to the environment and the world's forests. We contribute to the development of environmental solutions that conserve, protect and restore forests, supporting responsible forest management practices that both protect biodiversity and ecosystem integrity and result in long-term social and economic benefits to human communities.

We promote responsible business practices at every level of the company. We strive to conduct business ethically, honestly and with sensitivity toward social, cultural, economic and environmental issues. We integrate these core values into every aspect of our business and with our passion we use them to multiply social impact around the world.

As a member of WWF's Global Forest & Trade Network and U.S. Green Building Council, we believe in a more sustainable built environment. We promote green building and commitment to the use of cork and wood from sustainable sources, contributing to give people better, brighter and healthier spaces to live, work and play.

Through the partnership with the non-profit charity organization Habitat for Humanity, GRANORTE is donating cork flooring material to every new home built by HFH in the Europe and Central Asia region. HFH seeks to eliminate poverty housing and homelessness from the world and to make decent shelter a matter of conscience and action worldwide.






emotions

Cork Floating Floors

Primus Sand

A photograph of a woman lying on a light-colored sofa, reading a book. She is wearing a grey tank top and grey pants. A floral pillow is behind her head. The sofa has a dark green cushion on the left. To the right of the sofa is a tall, thin floor lamp with a light-colored shade. The floor is made of light-colored cork tiles. In the bottom right corner of the image, there is a small white text overlay.

studio

Cork Floating Floors

Element Cream



vita classic

Digital Print Cork Floors

Oak Antique



vita decor

Digital Print Cork Floating Floors

Retile Bold



corium

Recycled Leather & Cork Floors

Umbria Sepia



vinylcork

Luxury Vinyl & Cork Floating Floors

Iceland



heritage

Wood & Cork Floating Floors

Walnut



linocork

Linoleum & Cork Floating Floors

Coffee



tradition

Cork Floor Tiles

Amber



decodalle

Cork Wall Tiles

Parallel Cream

emotions


## Cork Floating Floors

emotions











20

910 x 300 x 10,5 mm



**HCA2K** hybrid ceramic hotcoating  
**HIDROCORE** moisture resistant HDF  
**JOINT SHIELD** edge sealing technology  
**MICRO BEVEL** 4 edges micro-beveled  
**AGGLOPUR<sup>e</sup>** no added formaldehyde



recolour



## Cork Floating Floors

**AQUA2K+** **HIDROCORE** **MICROBEVEL** **AGGLOPUR®**

2K waterborne finish      moisture resistant HDF      4 edges micro-beveled      no added formaldehyde

residential warranty **15 years**      commercial warranty **5 years**




UNICLIC®

16

610 x 380 x 10,5 mm





AWS 46  
1746 x 194 x 13,5 mm


AWS 146  
1164 x 194 x 10,5 mm



AWS 162  
900 x 150 x 4 mm



Oak Snow 46 001 15 | 146 001 15 | 162 001 15



Oak Smoke 46 001 16 | 146 001 16 | 162 001 16



Oak Vanilla 46 001 17 | 146 001 17 | 162 001 17



Oak Bisque 46 001 18 | 146 001 18 | 162 001 18



Oak Caramel 46 001 19 | 146 001 19 | 162 001 19




Oak Rust 46 001 20 | 146 001 20 | 162 001 20



Oak Artic 46 001 09 | 146 001 09 | 162 001 09



Oak Greystone 46 001 10 | 146 001 10 | 162 001 10



Oak Platinum 46 001 11 | 146 001 11 | 162 001 11



Oak Oasis 46 001 12 | 146 001 12 | 162 001 12



Oak Seashell 46 001 13 | 146 001 13 | 162 001 13



Oak Moccasin 46 001 14 | 146 001 14 | 162 001 14



Oak Antique 46 001 01 | 146 001 01 | 162 001 01



Oak Java 46 001 04 | 146 001 04 | 162 001 04



Oak Blond 46 001 02 | 146 001 02 | 162 001 02



Oak Siena 46 001 07 | 146 001 07 | 162 001 07




Oak Camel 46 001 03 | 146 001 03 | 162 001 03



Oak Pearl 46 001 05 | 146 001 05 | 162 001 05



Oak Blanc 46 001 06 | 146 001 06 | 162 001 06



Oak Burl 46 001 08 | 146 001 08 | 162 001 08



Larch Sierra 46 002 04 | 146 002 04 | 162 002 04



Larch Spice 46 002 01 | 146 002 01 | 162 002 01



Larch Country 46 002 02 | 146 002 02 | 162 002 02



Larch Frost 46 002 03 | 146 002 03 | 162 002 03



Ash Sand 46 003 01 | 146 003 01 | 162 003 01



Ash Sand 2-Strip 46 203 02 | 146 203 02 | 162 203 02



Ash Vintage 3-Strip 46 303 03 | 146 303 03 | 162 303 03



Heartwood Beech 46 004 01 | 146 004 01 | 162 004 01



Apple Birch 46 005 01 | 146 005 01 | 162 005 01



Olivewood 46 006 01 | 146 006 01 | 162 006 01




Full size plank



Full size plank



Full size plank



Slice Natural 53 001 01



Slice Artic 53 001 02



Slice Grey 53 001 03



Duo Natural 53 002 01




Duo Classic 53 002 02




Duo Urban 53 002 03




Slim 53 003 01



Chevron Classic 53 004 01



Chevron Grey 53 004 02




Chevron Mix 53 004 03



Block 53 005 01



Majestic 53 007 01



Foursquare Natural 53 006 01



Foursquare Grey 53 006 02




Retile Blue 53 050 01



Retile Brown 53 050 02



Retile Grey 53 050 03



Retile Silver 53 050 04



Retile Bold 53 051 01



Retile Cool 53 051 02



Retile Lavender 53 052 01

**AQUA2K+** **HIDRACORE** **MICROBEVEL** **AGGLOPUR®**

2K waterborne finish      moisture resistant HDF      4 edges micro-beveled      no added formaldehyde



54  
1164 x 194 x 10,5 mm



56  
610 x 380 x 10,5 mm

57  
388 x 388 x 10,5 mm




07  
600 x 450 x 4 mm



Calabria Vaniglia  
54 001 10 | 56 001 10 | 57 001 10



Calabria Marrone  
54 012 26 | 56 012 26 | 57 012 26



Calabria Tan  
54 014 30 | 56 014 30 | 57 014 30



Umbria Ardesia  
54 010 23 | 56 010 23 | 57 010 23



Umbria Beige  
54 010 19 | 56 010 19 | 57 010 19



Calabria Cannella  
54 001 04 | 56 001 04 | 57 001 04



Calabria Granata  
54 012 25 | 56 012 25 | 57 012 25



Umbria Bianco  
54 010 21 | 56 010 21 | 57 010 21



Umbria Nero  
54 007 03 | 56 007 03 | 57 007 03



Umbria Pelle  
54 010 17 | 56 010 17 | 57 010 17



Calabria Cacao  
54 001 01 | 56 001 01 | 57 001 01



Calabria Verde  
54 012 24 | 56 012 24 | 57 012 24



Umbria Grigio  
54 010 22 | 56 010 22 | 57 010 22



Umbria Seppia  
54 007 11 | 56 007 11 | 57 007 11



Umbria Castano  
54 010 14 | 56 010 14 | 57 010 14



Umbria Ecru  
54 010 15 | 56 010 15 | 57 010 15



Liguria Pelle  
54 009 17 | 56 009 17 | 57 009 17



Liguria Nero  
54 009 16 | 56 009 16 | 57 009 16




Veneto Seppia  
54 002 11 | 56 002 11 | 57 002 11



Lombardia Beige  
54 011 19 | 56 011 19 | 57 011 19



Umbria Grigio Scuro  
54 010 18 | 56 010 18 | 57 010 18




Liguria Castano  
54 010 14 | 56 009 14 | 57 009 14



Veneto Bistro  
54 002 05 | 56 002 05 | 57 002 05



Toscana Ruggine  
54 004 08 | 56 004 08 | 57 004 08



Lombardia Castano  
54 011 14 | 56 011 14 | 57 011 14



Liguria Beige  
54 009 19 | 56 009 19 | 57 009 19



Liguria Grigio Scuro  
54 009 18 | 56 009 18 | 57 009 18



Veneto Borgogna  
54 002 06 | 56 002 06 | 57 002 06



Lombardia Antico  
54 005 09 | 56 005 09 | 57 005 09



Lombardia Marrone Scuro  
54 011 29 | 56 011 29 | 57 011 29

vinylcork



## Luxury Vinyl & Cork Floating Floors

HIDRA CORE moisture resistant HDF  
JOINT SHIELD edge sealing technology  
AGGLO PURE no added formaldehyde  
0.3 wear layer

residential warranty 20 years  
commercial warranty 10 years

Vinyl-Fertigböden GRANORTE Z-156.010-1148 eco INSTITUT Emissionsprüfung Technische Universität Berlin  
GREENGUARD PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS UL 2818 GOLD  
EMISSIONS DANS L'AIR INTÉRIEUR A+ A A B C Information sur le niveau d'émission de certains produits émettant un risque de toxicité pour la santé humaine et l'environnement. Les émissions sont classées en 3 catégories : A+ (les meilleures émissions) à C (les plus mauvaises)  
ceramic enhanced wear layer  
Microban® antibacterial protection

FSC® www.fsc.org  
The mark of responsible forestry

UNICLIC®

36  
1164 x 194 x 10,5 mm

37  
910 x 300 x 10,5 mm






36  
1164 x 194 x 10,5 mm



37  
910 x 300 x 10,5 mm



heritage



Oak Siena

# YOUR HOME OUR CORK

DIGITAL PRINTED CORK FLOORS BY GRANORTE®  
delivering nature

## Wood & Cork Floating Floors

**HCA2K**  
hybrid ceramic hotcoating

**HIDROCORE**  
moisture resistant HDF

**MICROBEVEL**  
4 edges micro-beveled

**AGGLOPUR®**  
no added formaldehyde

**UNICLIC**

residential warranty  
**15 years**

commercial warranty  
**5 years**




Maple Sand **52 312 14**



Cherry **52 311 00**



Sucupira **52 345 00**



Bubinga **52 348 00**



Walnut **52 320 00**



Teak **52 315 00**



Zebrano Sand **52 625 14**



Bamboo **52 190 00**



Oak 2 Strip **52 624 00**




Oak Rustic **52 316 00**




Oak Antique **52 316 29**



Oak Silver **52 314 45**



Oak Shadow **52 314 42**



Ash Rustic Grey **52 333 48**



Ash Rustic Sand **52 333 14**




60

910 x 300 x 10,5 mm



59


388 x 388 x 10,5 mm



tradition

## Cork Floor Tiles

tradition





## Cork Floor Tiles

**AGGLOPUR®**  
no added formaldehyde



residential  
warranty  
**10**  
years



commercial  
warranty  
**5**  
years



**GLUE-DOWN**



tradition



Nobel Rustic **72 625 00 | 73 625 00**



Safari **72 622 00 | 73 622 00**



Zebra **72 624 00 | 73 624 00**



String **72 644 00 | 73 644 00**



Contour **72 646 00 | 73 646 00**



Mesh **72 649 00 | 73 649 00**




Trek **72 656 00 | 73 656 00**




Mosaic **72 650 00 | 73 650 00**




Bit **72 652 00 | 73 652 00**



Grid **72 654 00 | 73 654 00**



Split **72 123 00 | 73 123 00**




Swirl **72 940 00 | 73 940 00**



Chip **72 950 00 | 73 950 00**



Green **72 611 82 | 73 611 82**



Jeans **72 612 82 | 73 612 82**



Terra **72 613 82 | 73 613 82**



Amber **72 614 82 | 73 614 82**



Midnight **72 615 00 | 73 615 00**

decodalle

Cork Wall Tiles

decodalle



GLUE-DOWN

05  
600 x 300 x 3 mm



Grain 05 020 00



Gem 05 200 00



Champagner 05 039 00



Mystic 05 440 00



Mocha 05 100 00



Element 05 800 00



Element Rustic 05 110 00



Element Rustic Brown 05 110 86



Element Rustic Black 05 110 90



Element Rustic White 05 110 74



Forest 05 700 00



Twist 05 900 00



Twist Red 05 900 91




Twist Green 05 900 92




Twist Black 05 900 93



Parallel 05 121 00



Parallel Cream 05 121 11



Parallel White 05 121 74



Parallel Grey 05 121 48



Expression 05 290 00



River 05 131 00




Canyon 05 155 00



Kwadraat 05 160 00




Country 05 241 00



Country Blue 05 241 87




Country Green 05 241 88



Country Red 05 241 89



Country Ochre 05 241 80



Country Black 05 241 90




Country White 05 241 81



Country Cream 05 241 71



Country Ivory 05 241 72



Country Camel 05 241 73



Primus Rustic White 05 170 81



Primus Rustic Ivory 05 170 74



Primus Rustic Brown 05 170 86



Primus Rustic Jade 05 170 801



Primus Rustic Rust 05 170 75



# accessories

## Solid agglomerated cork skirtings

Standard agglomerated cork, natural	900 x 70 x 8 mm	95 701 00
-------------------------------------	-----------------	-----------



## Self adhesive strip skirtings (click system)

Maple foiled mdf skirting	2400 x 58 x 19 mm	95 412 00
---------------------------	-------------------	-----------



Oak foiled mdf skirting	2400 x 58 x 19 mm	95 413 00
-------------------------	-------------------	-----------



Wenge foiled mdf skirting	2400 x 58 x 19 mm	95 414 00
---------------------------	-------------------	-----------



Plain white foiled mdf skirting	2400 x 58 x 19 mm	95 415 00
---------------------------------	-------------------	-----------



Cork strip of any type of the CORK Collections	920 x 50 x 2 mm	83 XXX XX
--	-----------------	-----------



Linoleum strip of any type of the linocork Collection	920 x 50 x 2 mm	84 XXX XX
---	-----------------	-----------



Leather strip of any type of the corium Collection	920 x 50 x 2 mm	85 XXX XX
--	-----------------	-----------



Vinyl strip of any type of the vinylcork Collection	1200 x 50 x 2 mm	86 XXX XX
---	------------------	-----------



Wood strip of any type of the heritage Collection	1165 x 50 x 2 mm	87 XXX XX
---	------------------	-----------



Clip holder (30 pieces) for installing skirtings		95 096 00
--	--	-----------




## Digital printed skirtings (click system)

Digital printed foiled mdf skirting of vita designs	2500 x 58 x 18 mm	96 6XX XX
---	-------------------	-----------



Digital printed foiled mdf skirting of vinylcork designs	2500 x 58 x 18 mm	96 0XX XX
--	-------------------	-----------



Clip holder (30 pieces) for installing skirtings		96 196 00
--	--	-----------



## Underlay cork rolls (density 180-200 Kg/m<sup>3</sup>)

Agglomerated cork roll with embedded exclusive Microban® antibacterial protection	10 m x 1 m x 2 mm	92 201 12
	30 m x 1 m x 2 mm	92 201 32
	20 m x 1 m x 3 mm	92 201 23
	15 m x 1 m x 4 mm	92 201 14
	12 m x 1 m x 5 mm	92 201 15
	10 m x 1 m x 6 mm	92 201 16



## Cork sheets (density 240 Kg/m<sup>3</sup>)

Agglomerated cork, facing grade, sanded	915 x 610 x 6 mm	92 004 06
Agglomerated cork, facing grade, sanded	915 x 610 x 8 mm	92 004 08
Agglomerated cork, insulating/underlay	915 x 610 x 2 mm	92 015 02
Agglomerated cork, insulating/underlay	915 x 610 x 4 mm	92 015 04



# maintenance

All GRANORTE floors are easy to maintain. However, as any kind of floor, it requires continuous and proper cleaning and care so that the surface protection and the attractive appearance of the floor are maintained.

## Preventive care

The floor must be kept clean. Never use cleaning products with abrasive ingredients or solvent based.

Furniture legs should have protective pads to avoid scratches. Furniture and other heavy objects must be placed carefully.

A doormat should be laid inside the front door to help protect against dirt and sand.

Chair castors should be of type W (soft). For additional protection, polycarbonate mats under castor chairs should be used.

Avoid sharp or pointed objects with concentrated weight such as high heels on your cork floor. Prolonged contact of plasticizer-containing material (e.g. rubber, latex, plastics...) with the varnish may cause non-reversible stain of the floor.

Cork is a natural product and may tend to fade when exposed to sunlight over long periods of time. Use blinds or curtains to prevent cork fading by direct solar radiation.

## Cleaning

GRANORTE floorings must be cleaned regularly with a mop, hair broom or vacuum cleaner. Dust and dirt behave like sanding paper and are thus to be removed immediately. If necessary (heavier soiling) the floor can be damp-mopped using an appropriate cleaning product.

## Maintenance

Maintenance caring can become necessary from time to time to refresh the protective layer. First clean your floor and then apply a thin layer of a recommended maintenance product.

Please observe the particular maintenance instruction for your floor. For the correct use follow the instructions on the packaging labels of each product, as well as the information from technical data sheets.

## Attention

GRANORTE floorings are made with high quality, natural materials and should be handled accordingly. In spite of all due care given during manufacturing, there will be variations in appearance (colour, gloss, and texture). This should be verified before laying the floor, distributing the tiles/planks in a way that variations are not striking.

Cork (as wood) may change colour when exposed to sunlight over long periods of time.

Although every effort has been made to ensure accuracy during the production of this catalogue, GRANORTE disclaims potential product changes and possible print errors. The product photos may not accurately match the real colour and texture of the finished product.



GRANORTE - Revestimentos de Cortiça, Lda. | Avenida de Santiago, 68 | 4520-470 RIO MEÃO | PORTUGAL  
Tel.: + 351 256783026 | Fax: + 351 256781562 | info@granorte.pt | www.granorte.pt

GRANORTE GmbH DEUTSCHLAND | Nimrodstraße 22 | 90441 Nürnberg | GERMANY  
Tel.: 0911 3766 070 | Fax: 0911 3766 0720 | info@granorte.de | www.granorte.de

GRANORTE UK LTD | Unit 29 - Littleton Business Park - Littleton Drive | Huntington - Cannock WS12 4TR | UK  
Tel: +44 1785711131 | Fax: +44 1785711141 | info@granorte.co.uk | www.granorte.co.uk

